Notice of Allowability	Application No.	Applicant(s)
	10/593,614	OKAZAKI ET AL.
	Examiner	Art Unit
	Randy W. Gibson	2841
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the of (OR REMAINS) CLOSED in this ap or other appropriate communicatio GHTS. This application is subject	correspondence address oplication. If not included n will be mailed in due course. THIS
1. $\boxtimes$ This communication is responsive to <u>the amendment file 2</u>	1 September 2006.	
2. The allowed claim(s) is/are <u>1-4</u> .		
<ol> <li>Acknowledgment is made of a claim for foreign priority una)</li></ol>	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply ENT of this application.	complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declar	R'S AMENDMENT or NOTICE OF ation is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the draw he header according to 37 CFR 1.121	ings in the front (not the back) of (d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s) .	5 Dhees of leter at	Data at A called the
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	5. Notice of Informal I	···
<ul> <li>3.  Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date 2/12/2007</li> <li>4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amend 8. ☐ Examiner's Statem 9. ☐ Other	ate

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Changed the title from "Digital Weighing Device" to –Scale that Automatically Increases the Number of Displayed Digits as the Measured Weight Approaches the Target Weight--.

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance: none of the references cited teach automatically increasing the number of displayed digits as the measured weight approaches target weight. Some of the references teaches the opposite; that is, automatically switching from fine to course resolution as the measured weight increases above a certain limit – since the prior art is teaching away from the claimed invention, it is not suggested by the art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

10/593.614

Art Unit: 2841

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Randy W. Gibson whose telephone number is (571) 272-2103. The examiner can normally be reached on Mon-Fri., 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examiner

Art Unit 2841